

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	97	RFQ and (meta\$ldata or (meta adj data) or meta\$lmodel or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39
L2	2	(configur\$3 adj RFQ) and (meta\$ldata or (meta adj data) or meta\$lmodel or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39
L3	52	(RFQ or RFP) near2 model\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39
L4	0	multiparametric adj (RFQ or RFP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39
L5	32	(RFQ or RFP or requestion) near2 template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39
L6	7	L5 and (meta\$ldata or (meta adj data) or meta\$lmodel or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39
L7	9	L5 and sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39
L8	7	L5 and (meta\$ldata or (meta adj data) or meta\$lmodel or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39
L9	3	L8 and sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:39

L10	58651	"705"/s.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/17 11:39
L11	54	L1 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/17 11:40
L12	17	L3 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/17 11:40
L13	25	L5 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/17 11:40
S1	90	{request adj (proposal or quote or bid) or RFP or RFQ) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2007/02/08 16:15
S2	28	S1 and workflow and model and state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2006/09/30 17:05
S3	545	{request adj (proposal or quote or bid) or RFP or RFQ) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2006/09/30 17:05
S4	136	S3 and workflow and model and state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2006/09/30 17:11
S5	130	{custom or custom1\$6 or personaliz\$5 or design\$3 or configur \$5) near2 (request adj (proposal or quote or bid) or RFP or RFQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2006/09/30 17:20
S6	11	\$5 and xml and workflow and model and state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2006/09/30 17:22

S7	4	S5 same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 17:20
S8	13	S5 and xml and workflow and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 18:15
S9	29	naeem.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 18:15
S10	7	"6473739" "6615185" "6847936" "6847940" "6868392" "6873970" "6882979" "6892185" "6895388" "6910018" "6920431" "6938002" "6938003" "6985874" "6985875" "6985876" "6996537" "7006986" "7006987" "7010504" "7031933" "7047211" "7047214" "7062452" "7082407" "7103566" "7107228" "7107231" "7107234").URPN.	USPAT	OR	ON	2006/09/30 18:16
S11	2867	(customiz\$6 or personaliz\$5 or design \$3 or configur\$5 or tailor\$3) near3 (requisit\$3 or (purchase adj order) or (request adj (proposal or quote or bid)) or RFP or RFQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:08
S12	57	S11 and (data adj model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:06
S13	2	"20040187091".pn. and meta\$1model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:23

S14	0	naeem.xa. and RFQ	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:23
S15	34	naeem.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:23
S16	3382	(customi96 or personaliz95 or design \$3 or configur95 or tailor93) near4 (requisit\$3 or (purchase adj order) or (request adj (proposal or quote or bid)) or RFP or RFQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:08
S17	102501	(customi96 or personaliz95 or design \$3 or configur95 or tailor93) near4 (interface or gui or (graphical adj user adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 21:38
S18	153	(customi96 or personaliz95 or design \$3 or configur95 or tailor93) near5 (communicat\$3 near2 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:13
S19	1	S16 and S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:14
S20	222	(customi96 or personaliz95 or design \$3 or configur95 or tailor93) near10 (communicat\$3 near2 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:15
S21	1	S16 and S17 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:17
S22	396	(customi96 or personaliz95 or design \$3 or configur95 or tailor93) near10 (communicat\$3 near3 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:15

S23	S62	(customiz\$6 or personaliz\$5 or design \$3 or configur\$5 or tailor\$3) near10 (communicat\$3 near4 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:17
S24	S732	(customiz\$6 or personaliz\$5 or design \$3 or configur\$5 or tailor\$3) near14 (communicat\$3 near4 (sequence or flow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:21
S25	21	S16 and S17 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:23
S26	1	"20040187091".pn. and (communicat\$4 near4 (sequence or flow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:21
S27	1	"20040187091".pn. and ((customiz\$6 or personaliz\$5 or design \$3 or configur\$5 or tailor\$3) near14 (communicat\$4 near4 (sequence or flow)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:21
S28	1	"20040187091".pn. and ((customiz\$6 or personaliz\$5 or design \$3 or configur\$5 or tailor\$3) near10 (communicat\$4 near4 (sequence or flow)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:23
S29	S501	((customiz\$6 or personaliz\$5 or design \$3 or configur\$5 or tailor\$3) near10 (communicat\$4 near4 (sequence or flow)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:23
S30	22	S16 and S17 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:23
S31	11689	gardner.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 20:37

832	4	gardner.in. and RFQ	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 20:38
833	1	gardner.in. and naeem.xa.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 20:38
834	34	naeem.xa.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 20:39
835	2	"5758327".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 20:39
836	102501	(customiz96 or personaliz95 or design93 or configur95 or tailor93) near4 (interface or gui or (graphical adj user adj interface))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 21:38
837	315	S36 same (requisit93 or (purchase adj order) or (request adj (proposal or quote or bid)) or RFP or RFQ)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 21:59
838	78	S36 near4 (requisit93 or (purchase adj order) or (request adj (proposal or quote or bid)) or RFP or RFQ)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 21:59
839	41	S36 near4 (requisition or (purchase adj order) or (request adj (proposal or quote or bid)) or RFP or RFQ)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 21:54
840	41	S36 near4 (requisition or (purchase adj order) or (request adj (proposal or quote or bid)) or RFP or RFQ)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 21:59
841	125	S36 same (requisition or (purchase adj order) or (request adj (proposal or quote or bid)) or RFP or RFQ)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 17:25

S42	9	wizard near3 (requisition or (purchase adj order) or (request adj (proposal or quote or bid)) or RFP or RFQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2007/02/16 17:25
S43	2	"20040187091".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 14:15
S44	2	"20040187091".pn. and (data near2 metrics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 15:36
S45	2	"5758327".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 15:45
S46	2	"20040187091".pn. and (data near2 (metrics adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:01
S47	34	naeem.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:06
S48	95	RFQ and (meta\$ldata or (meta adj data) or meta\$model or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:18
S49	2	((custom adj RFQ) and (meta\$ldata or (meta adj data) or meta \$lmodel or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:35
S50	2	((configur\$3 adj RFQ) and (meta\$ldata or (meta adj data) or meta\$model or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:35
S51	2	((configur\$3 adj (RFQ or RFP)) and (meta \$ldata or (meta adj data) or meta\$model or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:36

552	5	{(generat\$ adj (RFQ or RFP)) and (meta\$1data or (meta adj data) or meta\$1model or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:37
553	4	{custom\$7 adj (RFQ or RFP)) and (meta\$1data or (meta adj data) or meta\$1model or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:38
554	2	multi\$1parametric adj (RFQ or RFP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:40
555	0	multi\$1parametric adj (RFQ or RFP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:40
556	52	{(RFQ or RFP) near2 model\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:44
557	7	\$56 and (meta\$1data or (meta adj data) or meta\$1model or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:47
558	32	{(RFQ or RFP or requestion) near2 template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:51
559	7	\$58 and (meta\$1data or (meta adj data) or meta\$1model or (meta adj model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:53
560	9	\$58 and sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:57
561	3	\$59 and sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDE	OR	ON	2008/03/03 16:59

3/17/08 11:43:16 AM

C:\Documents and Settings\nhaq\My Documents\EAST\Workspaces\Applications\09940764.wsp